

**CALIBRE DISCOVERS SIGNIFICANT GOLD MINERALIZATION 1,000 METRES  
BEYOND THE VALENTINE GOLD MINE RESOURCE, NEWFOUNDLAND & LABRADOR, CANADA**

**Calibre Mining News Release, November 25, 2024 – Drill Hole Table**

\*See notes at the bottom of the table

Drill Hole ID	Prospect	From (m)	To (m)	Interval (m)	ETW (m)	Au (g/t)
FZ-24-027	Frank Zone	0.0	274.0	274.0		NS
		274.0	275.0	1.0	0.94	2.52
		275.0	298.0	23.0		NS
		298.0	299.0	1.0	0.94	1.95
		299.0	318.0	19.0		NS
		318.0	319.0	1.0	0.94	0.81
		319.0	484.0	165.0		NS
FZ-24-028	Frank Zone	0.0	11.0	11.0		NS
		11.0	12.0	1.0	0.99	7.43
		12.0	79.0	67.0		NS
	<i>includes</i>	79.0	82.0	3.0	2.97	10.21
		80.0	81.0	1.0	0.99	24.16
		82.0	196.0	114.0		NS
		196.0	197.0	1.0	0.99	0.75
197.0	311.0	114.0		NS		
FZ-24-029	Frank Zone	0.0	78.0	78.0		NS
		78.0	79.0	1.0	0.89	0.87
		79.0	92.0	13.0		NS
		92.0	93.0	1.0	0.89	1.16
		93.0	169.0	76.0		NS
		169.0	170.0	1.0	0.89	1.44
		170.0	266.0	96.0		NS
FZ-24-030	Frank Zone	0.0	6.0	6.0		NS
		6.0	7.0	1.0	0.97	1.23
		7.0	16.0	9.0		NS
		16.0	18.0	2.0	1.94	1.24

		18.0	197.0	179.0		NS
		197.0	198.0	1.0	0.97	0.96
		198.0	217.0	19.0		NS
		217.0	218.0	1.0	0.97	1.16
		218.0	302.0	84.0		NS
FZ-24-031	Frank Zone	0.0	198.0	198.0		NS
		198.0	199.0	1.0	1.00	4.21
		199.0	210.0	11.0		NS
		210.0	211.0	1.0	1.00	1.21
		211.0	276.0	65.0		NS
	<i>includes</i>	276.0	282.0	6.0	6.00	5.5
		278.0	279.0	1.0	1.00	26.06
		279.0	296.0	17.0		NS
FZ-24-032	Frank Zone	0.0	153.0	153.0		NS
		153.0	154.0	1.0	1.00	0.71
		154.0	160.0	6.0		NS
		160.0	161.0	1.0	1.00	6.56
		161.0	215.0	54.0		NS
FZ-24-033	Frank Zone	0.0	104.0	104.0		NS
		104.0	106.0	2.0	2.00	0.72
		106.0	184.0	78.0		NS
		184.0	185.0	1.0	1.00	0.92
		185.0	186.0	1.0		NS
		186.0	187.0	1.0	1.00	0.88
		187.0	233.0	46.0		NS
FZ-24-034	Frank Zone	0.0	153.0	153.0		NS
		153.0	154.0	1.0	0.92	0.74
		154.0	248.0	94.0		NS
		248.0	250.0	2.0	1.84	3.71
		250.0	434.0	184.0		NS
		434.0	435.0	1.0	0.92	0.73

		435.0	462.0	27.0		NS
		462.0	463.0	1.0	0.92	4.05
		463.0	476.0	13.0		NS
		476.0	477.0	1.0	0.92	1.79
		477.0	487.0	10.0		NS
		487.0	499.0	12.0	11.04	1.73
		499.0	539.0	40.0		NS
FZ-24-035	Frank Zone	0.0	33.0	33.0		NS
		33.0	35.0	2.0	1.78	0.8
		35.0	221.0	186.0		NS
		221.0	222.0	1.0	0.89	13.39
		222.0	239.0	17.0		NS
FZ-24-037	Frank Zone	0.0	30.0	30.0		NS
		30.0	31.0	1.0	0.98	8.34
		31.0	152.0	121.0		NS
		152.0	153.0	1.0	0.98	1.06
		153.0	292.0	139.0		NS
FZ-24-038	Frank Zone	0.0	7.0	7.0		NS
		7.0	8.0	1.0	0.98	1.78
		8.0	44.0	36.0		NS
		44.0	45.0	1.0	0.98	1.35
		45.0	50.0	5.0		NS
		50.0	52.0	2.0	1.97	2.46
		52.0	236.0	184.0		NS
FZ-24-039	Frank Zone	0.0	118.0	118.0		NS
		118.0	119.0	1.0	0.88	0.91
		119.0	210.0	91.0		NS
		210.0	211.0	1.0	0.88	2.29
		211.0	215.0	4.0		NS
		215.0	216.0	1.0	0.88	1.17
		216.0	221.0	5.0		NS

		221.0	224.0	3.0	2.64	2.58
		224.0	270.0	46.0		NS
		270.0	271.0	1.0	0.88	0.75
		271.0	283.0	12.0		NS
		283.0	284.0	1.0	0.88	1.59
		284.0	297.0	13.0		NS
		297.0	299.0	2.0	1.76	1.27
		299.0	300.0	1.0		NS
		300.0	301.0	1.0	0.88	1
		301.0	316.0	15.0		NS
		316.0	317.0	1.0	0.88	1.03
		317.0	332.0	15.0		NS
		332.0	333.0	1.0	0.88	11.15
		333.0	342.0	9.0		NS
		342.0	343.0	1.0	0.88	0.78
		343.0	345.0	2.0		NS
		345.0	346.0	1.0	0.88	1.22
		346.0	470.0	124.0		NS
FZ-24-040	Frank Zone	0.0	36.0	36.0		NS
		36.0	37.0	1.0	0.89	1.09
		37.0	189.0	152.0		NS
		189.0	191.0	2.0	1.78	0.83
		191.0	193.0	2.0		NS
		193.0	194.0	1.0	0.89	0.86
		194.0	236.0	42.0		NS
		236.0	237.0	1.0	0.89	0.86
		237.0	300.0	63.0		NS
		300.0	301.0	1.0	0.89	13.03
		301.0	322.0	21.0		NS
		322.0	327.0	5.0	4.45	2.16
		327.0	329.0	2.0		NS

		329.0	330.0	1.0	0.89	1.27
		330.0	361.0	31.0		NS
	<i>includes</i>	361.0	449.0	88.0	78.32	2.26
	<i>includes</i>	385.0	386.0	1.0	0.89	17.84
		418.0	420.0	2.0	1.78	54.03
		449.0	467.0	18.0		NS
FZ-24-041	Frank Zone	0.0	189.0	189.0		NS
		189.0	190.0	1.0	0.92	2.55
		190.0	335.0	145.0		NS
		335.0	336.0	1.0	0.92	4.23
		336.0	338.0	2.0		NS
FZ-24-042	Frank Zone	0.0	86.0	86.0		NS
		86.0	87.0	1.0	0.86	3.16
		87.0	238.0	151.0		NS
		238.0	239.0	1.0	0.86	2.1
		239.0	340.0	101.0		NS
		340.0	341.0	1.0	0.86	3.75
		341.0	343.0	2.0		NS
		343.0	344.0	1.0	0.86	8.97
		344.0	368.0	24.0		NS
FZ-24-043	Frank Zone	0.0	57.0	57.0		NS
		57.0	58.0	1.0	0.90	0.97
		58.0	90.0	32.0		NS
		90.0	91.0	1.0	0.90	2.75
		91.0	227.0	136.0		NS
		227.0	228.0	1.0	0.90	1.28
		228.0	231.0	3.0		NS
		231.0	232.0	1.0	0.90	0.94
		232.0	234.0	2.0		NS
		234.0	235.0	1.0	0.90	0.94
		235.0	253.0	18.0		NS

		253.0	254.0	1.0	0.90	1.53
		254.0	266.0	12.0		NS
		266.0	269.0	3.0	2.70	1.30
		269.0	280.0	11.0		NS
		280.0	281.0	1.0	0.90	1.02
		281.0	292.0	11.0		NS
		292.0	293.0	1.0	0.90	1.37
		293.0	299.0	6.0		NS
		299.0	310.0	11.0	9.90	0.89
		310.0	345.0	35.0		NS
		345.0	349.0	4.0	3.60	2.04
		349.0	366.0	17.0		NS
		366.0	367.0	1.0	0.90	4.13
		367.0	423.0	56.0		NS
		423.0	424.0	1.0	0.90	0.76
		424.0	431.0	7.0		NS
FZ-24-046	Frank Zone	0.0	258.0	258.0		NS
		258.0	259.0	1.0	0.90	3.48
		259.0	273.0	14.0		NS
		273.0	274.0	1.0	0.90	3.78
		274.0	291.0	17.0		NS
		291.0	292.0	1.0	0.90	0.79
		292.0	341.0	49.0		NS
		341.0	447.0	106.0	95.40	2.12
	<i>includes</i>	368.0	369.0	1.0	0.90	10.93
	<i>includes</i>	376.0	377.0	1.0	0.90	10.45
	<i>includes</i>	385.0	386.0	1.0	0.90	27.50
	<i>includes</i>	400.0	401.0	1.0	0.90	20.89
	<i>includes</i>	407.0	408.0	1.0	0.90	23.01
	<i>includes</i>	439.0	440.0	1.0	0.90	12.77
		440.0	448.5	8.5		NS

FZ-24-048	Frank Zone	0.0	71.0	71.0		NS	
		71.0	72.0	1.0	0.90	13.07	
		72.0	79.0	7.0		NS	
		79.0	80.0	1.0	0.90	1.13	
		80.0	184.0	104.0		NS	
		184.0	185.0	1.0	0.90	1.10	
		185.0	186.0	1.0		NS	
		186.0	187.0	1.0	0.90	1.45	
		187.0	188.0	1.0		NS	
		188.0	189.0	1.0	0.90	0.93	
		189.0	192.0	3.0		NS	
		192.0	194.0	2.0	1.80	1.19	
		194.0	234.0	40.0		NS	
		234.0	235.0	1.0	0.90	1.65	
		235.0	271.0	36.0		NS	
			<i>includes</i>	271.0	463.0	192.0	172.80
		<i>includes</i>	362.0	463.0	101.0	90.90	3.84
		<i>includes</i>	362.0	363.0	1.0	0.90	18.03
		<i>includes</i>	369.0	371.0	2.0	1.80	13.00
		<i>includes</i>	406.0	407.0	1.0	0.90	124.12
		<i>includes</i>	412.0	413.0	1.0	0.90	27.98
		<i>includes</i>	429.0	430.0	1.0	0.90	15.24
		<i>includes</i>	434.0	435.0	1.0	0.90	10.01
		<i>includes</i>	446.0	447.0	1.0	0.90	10.13
		<i>includes</i>	450.0	451.0	1.0	0.90	21.64
		<i>includes</i>	462.0	463.0	1.0	0.90	13.26
			463.0	471.0	8.0		NS
			471.0	472.0	1.0	0.90	1.77
			472.0	473.0	1.0		NS
			473.0	474.0	1.0	0.90	0.77
			474.0	475.0	1.0		NS

		475.0	476.0	1.0	0.90	1.58
		476.0	490.0	14.0		NS
		490.0	491.0	1.0	0.90	1.19
		491.0	497.0	6.0		NS
		497.0	498.0	1.0	0.90	0.71
		498.0	512.0	14.0		NS
		512.0	513.0	1.0	0.90	2.56
		513.0	521.0	8.0		NS
		521.0	522.0	1.0	0.90	0.72
		522.0	528.0	6.0		NS
		528.0	539.0	11.0	9.90	1.44
		539.0	610.0	71.0		NS
		610.0	611.0	1.0	0.90	3.39
		611.0	644.0	33.0		NS

**Notes on the Calculation of Assay Intervals**

1. "Significant" assay intervals are defined as 1m core length or more of mineralization with an average fire assay result of greater than 0.7 g/t Au, representing the bottom cut-off for high-grade mill feed in the Valentine Gold Mine December 2022 Updated Feasibility Study mine plan. Assay intervals with an average fire assay result of between 0.3 g/t Au and 0.7 g/t Au are above the cut-off used in the July 2022 Mineral Resource estimate but are not considered "significant" for the purposes of this news release.
2. Gold Grade values are all uncut.
3. No significant results in Drill Holes FZ-24-036, FZ-24-044 and FZ-24-045.

**November 25, 2024 – Drill Hole Collar Coordinates**

Drill Hole ID	Prospect	UTM East (m)	UTM North (m)	Elevation (masl)	End Depth	Azimuth (degrees)	Dip (degrees)
FZ-24-027	FZ	486039.211	5355826.883	384.029	484	63	-49
FZ-24-028	FZ	485626.524	5355776.421	423.033	311	182	-44
FZ-24-029	FZ	485614.352	5355860.271	413.872	266	350	-50
FZ-24-030	FZ	485613.443	5355862.927	413.709	302	181	-61
FZ-24-031	FZ	485741.272	5355882.341	409.662	296	181	-50
FZ-24-032	FZ	485581.775	5355939.071	403.221	215	180	-51
FZ-24-033	FZ	485478.519	5355855.422	409.671	233	182	-45
FZ-24-034	FZ	485582.292	5355943.137	403.175	539	181	-70
FZ-24-035	FZ	485652.174	5355462.072	398.886	239	343	-57
FZ-24-037	FZ	485612.231	5355476.375	399.727	292	37	-49



FZ-24-038	FZ	485554.055	5355462.959	399.450	236	36	-50
FZ-24-039	FZ	485647.440	5355467.746	399.224	470	342	-55
FZ-24-040	FZ	485890.484	5355581.103	388.966	467	343	-57
FZ-24-041	FZ	485981.005	5355608.002	383.742	338	348	-61
FZ-24-042	FZ	485948.554	5355563.458	385.661	368	343	-50
FZ-24-043	FZ	485690.000	5355523.000	404.451	431	341	-62
FZ-24-046	FZ	485499.351	5355458.431	401.602	458.5	344	-60
FZ-24-048	FZ	485408.199	5355435.668	405.332	644	344	-60