

**CALIBRE CONTINUES TO INTERCEPT ADDITIONAL BONANZA GRADE GOLD DRILL RESULTS ALONG
THE MULTI-KILOMETRE PANTEON VTEM GOLD CORRIDOR AT THE LIMON MINE COMPLEX**

Calibre Mining News Release, January 30, 2024 - Drill Hole Table

*See notes at the bottom of the table

Drill Hole ID	Vein Structure	From (m)	To (m)	Interval (m)	ETW (m)	Au (g/t)
LIM-23-4757	Hagie	0.0	158.0	158.0		NS
		158.0	200.7	42.7		0.05
		200.7	202.0	1.4	1.29	0.84
		202.0	246.4	44.4		0.08
		246.4	249.9	3.5	3.35	0.59
		249.9	258.0	8.1		0.02
LIM-23-4760	Panteon Shaft 9	0.0	18.5	18.5		NS
		18.5	37.0	18.5		0.01
		37.0	53.5	16.5		NS
		53.5	74.2	20.7		0.04
		74.2	97.4	23.2		NS
		97.4	134.1	36.7		0.01
		134.1	159.0	25.0		NS
		159.0	180.4	21.4		0.05
		180.4	291.0	110.6		NS
		291.0	300.1	9.1		0.07
		300.05	302.45	2.4	1.69	2.56
		302.5	341.1	38.7		0.06
LIM-23-4761	Hagie	0.0	38.6	38.6		NS
		38.6	69.4	30.8		0.03
		69.4	108.0	38.7		NS
		108.0	114.4	6.4		0.02
		114.4	136.0	21.6		NS
		136.0	139.0	3.1		0.04
		139.0	167.0	28.0		NS
		167.0				

		88.0	89.4	1.4		1.08	
		89.4	102.2	12.8		0.09	
		102.2	104.1	2.0	1.32	1.72	
		104.1	125.5	21.4		0.02	
		125.5	147.1	21.6		NS	
		147.1	149.1	2.1		0.02	
		149.1	150.9	1.8	1.27	1.42	
		150.9	155.3	4.4		0.04	
		155.3	159.5	4.2	3.05	3.73	
		<i>includes</i>	155.9	159.5	3.6	2.58	4.17
			159.5	160.5	1.1		0.23
			160.5	161.1	0.6		0.70
			161.1	164.0	2.9		0.06
LIM-23-4767	Hagie	0.0	10.2	10.2		0.00	
		10.2	93.0	82.8		NS	
		93.0	102.8	9.8		0.01	
		102.8	121.8	19.0		NS	
		121.8	126.6	4.9		0.01	
		126.6	170.9	44.3		NS	
		170.9	213.5	42.7		0.04	
		213.5	215.2	1.7	1.62	0.69	
		215.2	220.8	5.6		0.07	
		220.8	221.9	1.1	1.04	0.44	
		221.9	228.9	7.1		0.12	
		228.9	229.9	1.0	0.95	1.12	
		229.9	249.7	19.8		0.08	
		249.7	250.3	0.7		0.58	
		250.3	280.1	29.8		0.03	
LIM-23-4769	Hagie	0.0	8.2	8.2		0.04	
		8.2					

		4.9	5.3	0.4	0.2	7.20
		5.3	15.1	9.9		0.00
		15.1	21.5	6.4	3.6	1.41
		20.0	21.5	1.5	0.86	3.85
		21.5	23.0	1.5		0.05
		23.0	41.2	18.2		NS
		41.2	42.1	0.9	0.51	5.00
		42.1	44.5	2.4		0.02
		44.5	45.0	0.5	0.27	3.63
		45.0	53.9	9.0		0.00
		53.9	54.4	0.5	0.28	0.63
		54.4	59.3	4.9		0.03
		59.3	62.1	2.9	1.62	0.36
		62.1	81.9	19.8		0.02
		81.9	84.8	2.9		0.33
		84.8	104.5	19.7		0.01
		104.5	105.8	1.3	0.42	0.42
		105.8	129.5	23.8		0.01
		129.5	131.3	1.8	1.02	0.82
		131.3	178.2	47.0		0.02
		178.2	178.6	0.4	0.23	1.74
		178.6	190.9	12.3		0.02
		190.9	191.8	0.9	0.52	4.40
		191.8	218.8	27.0		0.05
		218.8	219.6	0.8	0.46	4.12

		<i>includes</i>	177.2	177.9	0.8	0.41	0.81
			177.9	185.4	7.5		0.03
			185.4	225.7	40.3		NS
			225.7	231.5	5.8		0.03
			231.5	232.0	0.5	0.27	4.51
			232.0	250.4	18.4		0.02
			250.4	251.9	1.5	0.81	3.72
			250.9	251.9	1.0	0.52	5.80
		<i>includes</i>	251.9	255.3	3.5		0.04
			255.3	256.5	1.2		22.00
			256.5	260.0	3.6		0.04
			260.0	269.9	9.9	5.37	2.14
			262.5	267.4	4.9	2.66	4.12
			263.7	266.3	2.6	1.38	7.25
			269.9	271.9	2.0		0.03
			271.9	273.0	1.1	0.6	0.51
			273.0	279.0	6.0		0.05
LIM-23-4770	Veta Cruzada	<i>Includes</i>	0.0				

	<i>Includes</i>	22.7	40.3	17.7		0.01
		40.3	44.4	4.1	2.82	7.26
		42.5	44.4	1.9	1.45	15.42
		44.4	54.0	9.6		0.04
		54.0	58.9	4.9	3.65	4.02
		58.9	63.3	4.5		0.04
		63.3	64.9	1.6	1.2	1.35
		64.9	66.0	1.1		0.06
LIM-23-4777	Apo 1	0.0	41.2	41.2		NS
		41.2	48.7	7.5		0.08
		48.7	49.3	0.6	0.41	6.50
		49.3	56.2	6.9		0.02
		56.2	57.3	1.2	0.48	4.86
		57.3	80.0	22.7		0.02
LIM-23-4779	Panteon Shaft 9	0.0	69.8	69.8		NS
		69.8	88.9	19.1		0.03
		88.9	89.2	0.3	0.2	0.98
		89.2	95.1	5.9		0.04
		95.1	95.5	0.5	0.27	0.83
		95.5	123.0	27.5		0.04
		123.0	126.5	3.5		

		72.5	73.2	0.8	0.2	1.02
		73.2	75.6	2.4		0.01
		75.6	76.3	0.7	0.2	1.67
		76.3	81.2	4.9		0.05
		81.2	93.3	12.1		0.12
		93.3	94.1	0.8	0.21	1.92
		94.1	126.5	32.5		0.02
		126.5	179.6	53.1		NS
		179.6	181.3	1.8		0.14
		181.3	209.1	27.8		NS
		209.1	210.1	1.1		0.05
		210.1	210.7	0.6		0.44
		210.7	264.7	54.0		0.00
		264.7	266.0	1.3		0.45
		266.0	269.7	3.7		0.13
		269.7	272.9	3.2	3.13	3.58
	<i>includes</i>	271.6	272.9	1.3	1.27	7.00
		272.9	322.9	50.1		0.08
LIM-23-4782	Veta Cruzada	0.00	21.00	21.00		0.01
		21.00	22.35	1.35		0.96
		22.35	27.70	5.35		0.11
		27.70	29.75	2.05	1.32	1.48
	<i>includes</i>	27.70	28.55	0.85	0.55	3.21
		29.75	47.05	17.30		0.03
</						

		151.4	166.3	14.9		0.03
		166.3	167.6	1.3	0.7	0.41
		167.6	177.3	9.7		0.03
		177.3	179.0	1.7		0.35
		179.0	219.0	40.1		0.03
LIM-23-4791	Veta Cruzada	0.0	33.0	33.0		NS
		33.0	60.4	27.4		0.03
		60.4	61.0	0.6	0.4	3.10
		61.0	63.2	2.2		0.08
		63.2	64.0	0.8		0.39
		64.0	93.6	29.6		0.03
		93.6	143.2	49.6		NS
		143.2	144.2	1.1		0.01
		144.2	146.0	1.8	1.27	2.13
	<i>Includes</i>	144.6	146.0	1.5	1	2.29
		146.0	147.0	1.0		0.06
		147.0	213.9	66.9		NS
		213.9	292.8	78.9		0.05
		292.8	295.3	2.5	1.45	0.81
		295.3	313.7	18.5		0.04
		313.7	316.1	2.4	1.27	4.34
	<i>Includes</i>	313.7	315.6	1.9	1	5.34
		316.1	322.2	6.1		0.03
LIM-23-4792	Hagie	0.0	147.4	147.4		NS

		324.8	327.0	2.3	2.16	4.58
		328.8	340.2	11.4		0.07
		340.2	341.2	1.0	0.98	0.55
		341.2	360.0	18.9		0.02
LIM-23-4796	Panteon Norte VTEM	0.0	23.0	23.0		NS
		23.0	42.8	19.8		0.02
		42.8	69.2	26.4		NS
		69.2	71.8	2.6		0.02
		71.8	96.5	24.7		NS
		96.5	171.3	74.8		0.01
		171.3	173.2	2.0	1.05	0.44
		173.2	174.9	1.7	0.92	0.19
		174.9	176.6	1.7	0.93	0.49
		176.6	199.4	22.8		0.01
		199.4	262.0	62.6		NS
		262.0	268.2	6.2		0.01
		268.2	270.0	1.8	1.6	0.55
		270.0	274.2	4.2		0.10
LIM-23-4797	Veta Cruzada	0.0	26.0	26.0		NS
		26.0	51.6	25.6		0.01
		51.6				

		130.5	139.4	8.9		0.02
		139.4	203.0	63.6		NS
		203.0	227.4	24.4		0.02
		227.4	229.9	2.5	1.84	1.00
		229.9	254.0	24.1		0.02
		254.0	258.3	4.3	2.82	1.35
		258.3	265.8	7.5		0.04
		265.8	267.2	1.4	0.9	1.99
		267.2	274.8	7.7		0.11
		274.8	278.9	4.1	2.15	1.15
		278.9	282.5	3.6		0.05
LIM-23-4804	Panteon Norte VTEM	0.0	47.1	47.1		0.01
		47.1	74.9	27.8		NS
		74.9	82.3	7.5		0.03
		82.3	110.3	28.0		NS
		110.3	118.1	7.9		0.01
		118.1	177.8	59.7		NS
		177.8	179.9	2.1		0.01
		179.9	180.6	0.7	0.51	0.40
		180.6	189.5	8.9		0.04
		189.5	220.1	30.6		NS
		220.1	226.0	5.9		0.05
		226.0	226.7	0.7	0.51	0.48
		226.7	233.3	6.7		0.08
		233				

		204.2	205.5	1.3	0.62	0.62
		205.5	208.0	2.5		0.14
		208.0	208.6	0.6	0.32	0.46
		208.6	211.2	2.6		0.05
		211.2	211.4	0.3	0.11	0.59
		211.4	215.7	4.3		0.06
LIM-23-4806	Hagie	0.0	33.8	33.8		NS
		33.8	38.7	4.9		0.01
		38.7	86.3	47.6		NS
		86.3	91.5	5.2		0.01
		91.5	270.3	178.8		NS
		270.3	303.3	33.0		0.05
		303.3	304.0	0.7		0.48
		304.0	313.2	9.2		0.05
		313.2	320.4	7.3	6.99	0.75
		320.4	329.0	8.6		0.18
		329.0	331.8	2.9	2.34	0.95
		331.8	334.2	2.4		0.21
		334.2	341.6	7.4	6.9	0.52
		341.6	345.7	4.1		0.06
LIM-23-4807	Panteon Shaft 9	0.0	59.1	59.1		NS
		59.1	81.0	22.0		0.05
		81.0	149.5	68.5		NS
		149.5	162.8	13.4		0.02
		162.8				

	<i>includes</i>	183.4	188.2	4.8	4.51	19.32
		189.9	194.2	4.3		0.11
	<i>includes</i>	194.2	196.5	2.3	2.06	8.02
		195.4	196.5	1.1	0.98	16.70
		196.5	203.9	7.5		0.15
LIM-23-4818	Panteon Norte VTEM	0.0	57.2	57.2		NS
		57.2	58.2	1.0		0.01
		58.2	59.7	1.5	0.92	1.06
		59.7	91.5	31.8		0.03
		91.5	108.4	17.0		NS
		108.4	109.4	1.0		0.02
		109.4	109.9	0.5	0.38	4.15
		109.9	110.9	1.0		0.01
LIM-23-4788	Hagie	0.0	53.1	53.1		NS
		53.1	54.1	1.0		0.01
		54.1	57.9	3.8	0.98	1.90
		56.9	57.9	1.0	0.26	4.43
	<i>includes</i>	57.9	64.0	6.1		0.08
		64.0	85.1	21.1		NS
		85.1	122.0	36.9		0

		103.8 105.5	105.5 121.6	1.7 16.1	0.95	2.10 0.01
LIM-23-4836	Hagie	0.0 54.7 59.3 70.5 90.1 95.1 216.4 234.0 252.9 255.5 261.0		54.7 4.6 11.2 19.6 5.0 121.4 17.6 18.9 2.6 5.5 7.1	1.18 1.46	0.02 0.32 0.09 NS 0.05 NS 0.01 NS 0.11 0.50 0.04
		268.1 290.7 294.1 315.2 316.6 317.0 329.8 331.7		22.7 3.4 21.1 1.5 0.4 12.9 1.9 30.3	0.31 1.72	NS 0.03 NS 0.01 0.53 0.05 0.50 0.03
LIM-23-4843	Hagie	0.0 141.3 176.9 178.3 207.1 208.2 212.8	141.3 176.9 178.3 207.1 208.2 212.8	141.3 35.6 1.4 28.8 1.1 4.6 9.7	1.09 9.63	NS 0.01 0.40 0.03 1.43 0.11 9.92
	<i>includes</i>	212.8	216.6	3.9	3.85	19.15
		222.4 236.4 243.5 245.3 252.3 254.0 264.3 265.8 292.3 294.8	236.4 243.5 245.3 252.3 254.0 264.3 265.8 292.3 294.8 316.0	14.0 7.1 1.9 7.0 1.7 10.3 1.5 26.5 2.5 21.2	1.79 1.45	0.10 0.36 1.35 0.05 0.52 0.10 1.27 0.07 0.39 0.09
LIM-23-4850	Hagie	0.0 172.8 203.6	172.8 203.6 208.7	172.8 30.9 5.1	5.05	NS 0.01 6.23
	<i>includes</i>	205.4	207.8	2.5	2.43	10.05
		208.7 210				

		243.6	247.7	4.2		0.08
		247.7	249.8	2.1	1.93	0.77
		249.8	254.3	4.6		0.07
		254.3	255.1	0.8		0.61
		255.1	257.6	2.5		0.06
		257.6	257.9	0.3		0.77
		257.9	261.3	3.4		0.07
		261.3	271.7	10.5		0.30
		271.7	275.3	3.6		0.09
		275.3	275.9	0.6		0.46
		275.9	278.75	2.85		0.02
		278.75	280.6	1.85		0.36
		280.6	283.3	2.7		0.10
		283.3	284.5	1.2		0.47
LIM-23-4855	Panteon Norte VTEM	0.0	80.5	80.5		NS
		80.5	93.5	13.0		0.00
		93.5	119.6	26.2		NS
		119.6	141.9	22.3		0.02
		141.9	143.0	1.1		0.67
		143.0	147.0	4.1		0.23
		147.0	150.3	3.3	0.95	2.79
	<i>includes</i>	147.9	149.4	1.6	0.45	4.57
		150.3	179			

		227.0	265.0	38.0		0.05
LIM-23-4863	Hagie	0.0	80.7	80.7		NS
		80.7	129.9	49.3		0.00
		129.9	131.5	1.6	1.5	6.60
		131.5	138.9	7.5		0.05
LIM-23-4865	Hagie	0.0	21.7	21.7		NS
		21.7	44.4	22.7		0.03
		44.4	71.7	27.3		NS
		71.7	114.4	42.7		0.04
		114.4	116.4	2.1	1.92	7.19
	<i>includes</i>	114.4	115.3	1.0	0.87	14.90
		116.4	120.0	3.6		0.19
		120.0	121.0	1.0		2.36
		121.0	123.1	2.1		0.15
		123.1	125.2	2.2	2	4.32
	<i>includes</i>	123.1	124.6	1.5	1.5	6.00
		125.2	127.5	2.3		0.09
		127.5	128.2	0.7		1.36
		128.2	131.8	3.6		0.13
		131.8	132.7	0.9	0.9	1.53
		132.7	136.5	3.8		0.11
		136.5	137.3	0.8	0.8	16.40
		137.3	140.6	3.3		0.12
		140.6	145.0	4.5	3.7	1.59

		203.6	203.9	0.3	0.28	0.77
		203.9	205.8	1.9		0.06
		205.8	207.1	1.3		0.36
		207.1	208.3	1.2		0.12
LIM-23-4862	Hagie	0.0	185.1	185.1		NS
		185.1	185.8	0.7		0.15
		185.8	187.3	1.5	0.85	1.59
		187.3	188.3	1.1		0.15
		188.3	207.0	18.7		NS
		207.0	208.0	1.1		0.17
		208.0	219.8	11.8	6.66	2.20
		<i>includes</i>				
		209.5	212.3	2.8	1.6	4.98
		213.8	215.2	1.4	0.8	4.24
		<i>includes</i>				
		219.8	223.4	3.6		0.13
		223.4	233.6	10.2	5.76	6.12
		226.0	231.9	5.9	3.33	8.27
		233.6	241.4	7.8		0.17
		241.4	250.1	8.7	4.98	2.72
		250.1	252.7	2.		

LIM-23-4775	Panteon Shaft 9	532117.32	1408172.58	67.27	79.9	258.01	-51.15
LIM-23-4777	APO1	532103.488	1408148.231	68.798	80	234.99	-56
LIM-23-4779	Panteon Shaft 9	532187.883	1408195.435	68.114	334.9	231.98	-50.22
LIM-23-4781	Hagie	532265.38	1409324.42	62.77	322.9	205.01	-50.57
LIM-23-4782	Veta Cruzada	532097.34	1408115.52	71.39	140.9	231.98	-50.22
LIM-23-4786	Veta Cruzada	532030.968	1408074.144	78.679	229.9	86.87	-50.11
LIM-23-4788	Hagie	532006.528	1409420.285	72.403	300.05	203.18	-50.42
LIM-23-4791	Veta Cruzada	531972.77	1408087.64	78.75	327.65	88	-51
LIM-23-4792	Hagie	531893.07	1409393.44	79.87	249.7	202.02	-50.1
LIM-23-4794	Hagie	532090.217	1409498.404	71.059	360	202	-49.75
LIM-23-4796	Panteon VTEM	532143.996	1409504.14	72.687	286.3	290.52	-50.13
LIM-23-4797	Veta Cruzada	532094.547	1408068.598	80.083	157.9	81	-51.02
LIM-23-4799	Veta Cruzada	532070.44	1408220.89	66.52	289.8	88.01	-51.85
LIM-23-4800	Hagie	531950.304	1409458.384	80.066	316		